

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.



© COPYRIGHT - By TE Connectivity

LOC HB


DIST -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
A		CHANGE DATE&TE LOGO ECO-08-007869	16-APR-08	CY.ZBH.Y	
B		1.CHANGE LOGO 2.ADD LINE IDENTIFICATIONS.TERMINALS TOLERANCE CLARIFICATION ECO-12-005305	26-MAR-12	YS.H	BH.Y



DRILLING DIAGRAM BOTTOM VIEW (2/1)



CONNECTION DIAGRAM BOTTOM VIEW (2/1)






Diagram dimension	Tolerance
max. 1mm	±0.1mm
1 - 3mm	±0.2mm
min. 3mm	±0.3mm

NOTE (A) 1.LOT NO. SYSTEM AS FOLLOWING:



(B) 2.TERMINAL DIMENSIONS BEFORE SOLDER DIP

(B) 3.FOR THE TIN-PLATING OF THE PINS: +0.1mm FOR WIDTH, THICKNESS AND DIAMETER +0.5mm FOR LENGTH

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K.Okada			
DIMENSIONS: mm		CHK H.Sasaki			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A.Nagai		NAME	
0 PLC ± -		PRODUCT SPEC		SDT-LMR2 CUSTOMER DRAWING	
1 PLC ± -		APPLICATION SPEC		SIZE CAGE CODE DRAWING NO	
2 PLC ± -		WEIGHT		A3 00779 C=1461100	
3 PLC ± -		CUSTOMER DRAWING		RESTRICTED TO	
4 PLC ± -		SCALE 4:1		SHEET 1 OF 2	
ANGLES ± -		REV B			
FINISH					

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-. - .

© COPYRIGHT - By TE Connectivity

ALL RIGHTS RESERVED.

LOC HB DIST -



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

	SDT-S-124LMR2	2-1440009-6	108-79452	STANDARD	f
ⓑ	SDT-S-112LMR2	1440003	108-79451	STANDARD	e
	SDT-S-109LMR2	9-1419125-5	108-79450	STANDARD	d
ⓑ	SDT-S-106LMR2	5-1440007-0	108-79449	STANDARD	e
	SDT-S-105LMR2	8-1419125-3	108-79448	STANDARD	b
ⓑ	SDT-S-103LMR2	1461100-1	108-79447	STANDARD	a
	DESCRIPTION	TE PART NO	PRODUCT SPEC	DESCRIPTION	No.

RELAY TYPE

		EPOXY RESIN	SEAL (BASE & TERMINAL)	15
		EPOXY RESIN	SEAL (BASE & YOKE)	14
		JUEW	MAGNETIC WIRE	13
94V-0		P.B.T	CASE	12
94V-0		P.B.T	BOBBIN	11
	SOLDER DIP	C.P WIRE	COIL TERMINAL	10
94V-0		NYRON	CARD	9
		AgSnO	MOVABLE CONTACT	8
		AgSnO	NO.CONTACT	7
		STEEL	HINGE SPRING	6
	SOLDER DIP	Cu ALLOY	NO.TERMINAL	5
	SOLDER DIP	Cu ALLOY	MOVABLE SPRING	4
	NIP	STEEL	CORE	3
	NIP	STEEL	ARMATURE	2
	NIP	STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K.Okada	 TE Connectivity	
DIMENSIONS: mm		CHK H.Sasaki		
		APVD A.Nagai	NAME SDT-LMR2 CUSTOMER DRAWING	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC -	RESTRICTED TO -	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APPLICATION SPEC -	SIZE A3	CAGE CODE 00779
MATERIAL -	FINISH -	WEIGHT -	DRAWING NO C=1461100	
CUSTOMER DRAWING			SCALE 4:1	SHEET 2 of 2
			REV B	