

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
HH

DIST

REVISIONS
変更

P

LTR

DESCRIPTION

ECN

DATE

DWN

APVD

D

INTEGRATION

ECO-06-017047

31-JUL-06

G. L

N. F

DRILLING DIAGRAM (BOTTM VIEW)
プリント基板加工図：底面図 (2/1)

2- $\phi 1.0$ 穴 4- $\phi 1.2$ 穴

7.5 ± 0.1

15 ± 0.1 5 ± 0.1

CONNECTION DIAGRAM (BOTTM VIEW)
接続図

24.80 ± 0.5

4 ± 0.5

0.45 0.30 0.50

0.90 0.90

D SEE DRAWING 3-1419124-9

7.50 ± 0.2 7.50 ± 0.2 12.90 ± 0.5

1.95 15 ± 0.2 5 ± 0.2 2.45

24.40 ± 0.5

TOLERANCE

Diagram dimension	Tolerance
max. 1mm	± 0.1 mm
1 - 3mm	± 0.2 mm
min. 3mm	± 0.3 mm

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:

単位： 耗
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	\pm
1 PLC	\pm
2 PLC	\pm
3 PLC	\pm
4 PLC	\pm
ANGLES	\pm

MATERIAL
材料FINISH
仕上

DWN H. SASAKI

CHK Y. OIKAWA

APVD A. NAGAI

PRODUCT SPEC
製品規格 -APPLICATION SPEC
取付通用規格 -

WEIGHT -

CUSTOMER DRAWING

Tyco Electronics EC K.K.
Tochigi, JapanNAME
名称

OSA-SH-DM5, 600, 600M

SIZE

CAGE CODE

DRAWING NO
番号

7-1440004-7

RESTRICTED TO
-

A3

00779

7-1440004-7


SCALE
尺度 4 : 1

SHEET 1 OF 2

REV D

4 3 2 1
 THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD
HH								



ⓓ SEE DRAWING 3-1419124-9

PART NO	EC TYPE NAME	PART B	PART A	ITEM
8-1440001-4	OSA-SH-224DM5 , 600M	24VDC	OSA-SH-224DM5	e
8-1440001-2	OSA-SH-212DM5 , 600M	12VDC	OSA-SH-212DM5	d
8-1440001-1	OSA-SH-212DM5 , 600	12VDC	OSA-SH-212DM5	c
7-1440001-9	OSA-SH-209DM5 , 600	9VDC	OSA-SH-209DM5	b
7-1440004-7	OSA-SH-205DM5 , 600	5VDC	OSA-SH-205DM5	a

RELAY TYPE

AR	AR	AR	AR	AR			UV RESIN	UV SEAL	ITEM
AR	AR	AR	AR	AR			EPOXY RESIN	SEAL	14
1	1	1	1	1	94V-0		PBT	CASE	13
1	1	1	1	1	94V-0		PA66	CARD	12
2	2	2	2	2			Ag ALLOY	STATIONARY CONTACT	11
2	2	2	2	2			Cu ALLOY	STATIONARY TERMINAL	10
2	2	2	2	2			Ag ALLOY	MOVABLE CONTACT	9
2	2	2	2	2			Cu ALLOY	MOVABLE SPRING	8
1	1	1	1	1		Cu-Ni PLATED	STEEL	ARMATURE	7
1	1	1	1	1		Cu-Ni PLATED	STEEL	CORE	6
1	1	1	1	1			PBS	HINGE SPRING	5
1	1	1	1	1		Ni PLATED	STEEL	YOKE	4
AR	AR	AR	AR	AR			UEW	MAGNETIC WIRE	3
2	2	2	2	2			CP WIRE	COIL TERMINAL	2
1	1	1	1	1	94V-0		PBT	BOBBIN	1
e	d	c	b	a	INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DWN
CHK
APVD

PRODUCT SPEC
製品規格 -

APPLICATION SPEC
取付通用規格 -

WEIGHT -

CUSTOMER DRAWING

tyco Tyco Electronics EC K.K.
Electronics Tochigi, Japan

NAME
名称
OSA-SH-DM5, 600 , 600M

SIZE A3 CAGE CODE 00779 DRAWING NO 7-1440004-7 RESTRICTED TO -

SCALE 4 : 1 SHEET 2 OF 2 REV D

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
單位: 耗 mm	
	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
	4 PLC ±
	ANGLES ±

MATERIAL	FINISH
材料 -	仕上 -