

Cable housing - KGS-PC 4/ 6-F - 1837353

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Cable housing, Pitch: 0 mm, Number of positions: 6, Dimension a: 47.52 mm, Color: green

Why buy this product

- Ergonomic cable housing for standard PC 4 plugs with screw connection
- A cable clamp can be mounted back to front
- KGG-PC 4 for cable diameters from 4 to 13.5 mm²
- KGS-PC 4 (angled cable outlet) for cable diameters from 6 to 16 mm²



Key commercial data

Packing unit	1
Minimum order quantity	10
Catalog page	Page 429 (CC-2011)
GTIN	 4 017918 111366
Custom tariff number	85369010
Country of origin	POLAND

Technical data

Product type	Cable housing
Number of positions	6

Classifications

eclass

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402

Cable housing - KGS-PC 4/ 6-F - 1837353

Classifications

etim

ETIM 3.0	EC001121
ETIM 4.0	EC002637

unspsc


UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

Accessories

Accessories

Marking

Cable housing - KGS-MSTB 2,5/ DST - 1784914



Transparent label carrier, can be marked with marker strips SBS 2.5/7.5

Marking card for terminal marking - SBS 2,5/7,5 - 1007604



Marking card for terminal marking, Card, white, Unlabeled, Can be labeled with: Plotter, Perforated, Mounting type: Snap into tall marker groove, Snap into flat marker groove, For terminal block width: 2.5 mm, Lettering field: 15 x 7.5 mm

Drawings

Dimensioned drawing

