






LOC	DIST	REVISIONS			
REV	DATE	BY	CHK	APPV	DESCRIPTION
AD	00	A			DRAWING TO REV A



- ⚠ MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- ⚠ FINISH:
30µm SELECTIVE GOLD IN CONTACT AREA, SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.
- 3. CONNECTOR SUPPLIED WITH MOUNTING SCREW.




2149376-1	
ASSEMBLY PART NUMBER	
CONTACT LAYOUT	
DIM M	B = 4.9mm C = 5.5mm
COLUMNS	
	16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1
ROWS	F C C C C C C C C C C C C C C C
	E C C C C C C C C C C C C C C C
	D C C C C C C C C C C C C C C C
	C C C C C C C C C C C C C C C C
	B C C C C C C C C C C C C C C B
A C C C C C C C C C C C C C C C	




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: B. CARBO 21OCT2010	TE Connectivity
DIMENSIONS: mm		CHK: J. EARY 21OCT2010	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPV: J. EARY 21OCT2010	NAME: IMPACT, 2 PAIR, 16 COLUMN, LEFT GUIDED, RIGHT ANGLE MALE CONNECTOR, 0.39 PTH
0 PLC ± 1 PLC ±0.25 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC: -	APPLICATION SPEC: -
MATERIAL: -		WEIGHT: -	SIZE: CAGE CODE: DRAWING NO: A100779C=2149376
FINISH: -		CUSTOMER DRAWING	RESTRICTED TO: -
		SCALE: 5:1	SHEET 1 OF 2
			REV A

LOC	DIST	REVISIONS			
AD	00	REV	DATE	BY	APPD
		-	SEE SHEET 1	-	-



COPLANAR MATED SIGNAL PATHS



LEFT GUIDED RIGHT ANGLE MALE MATES TO
 RIGHT GUIDED RIGHT ANGLE RECEPTACLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN B. CARBO 21OCT2010	TE Connectivity
DIMENSIONS: mm		CHK J. EARY 21OCT2010	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ± 3 PLC ±0.25 5 PLC ±0.13 4 PLC ± ANGLES ±		APVD J. EARY 21OCT2010	NAME
		PRODUCT SPEC	IMPACT, 2 PAIR, 16 COLUMN, LEFT GUIDED, RIGHT ANGLE MALE CONNECTOR, 0.39 PTH
MATERIAL		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO
FINISH		WEIGHT	A100779C=2149376
		CUSTOMER DRAWING	SCALE 5:1 SHEET 2 OF 2 REV A